tion, and the greater possibility of passage from one island to another be admitted, than in the case of small resident passerine species.— W. S.

Oberholser's One Hundred and Four new Birds from the Barussan Islands and Sumatra.1- To those who are familiar with Mr. Oberholser's painstaking monographic work and detailed descriptions the present contribution must come as a distinct shock. The presentation of 104 new forms on 21 octavo pages naturally permits of but very brief diagnoses, but so short are some of these here given, that for all practical purposes they might as well have been omitted entirely, leaving simply a type locality. For example Meiglyptes grammithorax micropterus is described as "Resembling Meiglyptes grammithorax grammithorax, but smaller.", followed by the citation of a type specimen in the U.S. National Museum, from Nias Island. We know from this that a name has been given to a form of M. grammithorax from Nias, but beyond that, without measurements or further diagnosis, the publication is absolutely worthless. With a specimen of this group in hand from a neighboring island one could not possibly identify it without examining Mr. Oberholser's type. In the entire 104 diagnoses. measurements are given in only twelve instances while the descriptions average two and a half lines, including a trinomial name mentioned for comparison!

In such contributions the advancement of science seems to have been completely lost sight of, and the only explanation would seem to be the desire to secure the species to an author or the types to an institution. The promise of later detailed publications does not constitute an excuse for the issue of such useless diagnoses.

If publication of species in advance of faunal papers is absolutely necessary, the journal should devote the space, and the author the time, necessary to make the diagnoses adequate. Our rules of nomenclature are binding us more and more to the original descriptions in all systematic work and it behooves us to make these adequate.

This criticism is not directed at Mr. Oberholser but at a practice that is all too common and which we are sorry to see endorsed by him and by the Smithsonian Institution.

In foot-notes several nomenclatural matters are briefly discussed. Dendrophassa Gloger 1842 is substituted for Osmotreron Bonap. on ground of priority, while Treron nipalensis (Hodgson) is changed to T. curvioral (Gmelin) for the same reason. Psittinus cyanurus (Porster) is shown to be the proper name for the bird commonly called P. incertus (Shaw.), while Mixornis gularis (Raffles) becomes M. pileata (Blyth), and Lalage terat Auct. becomes L. nigra (Porster). So also Cinnyris pectoralis (Horsf.) becomes C. ornata Less. and Chalcoparia phænicotis Auct. becomes C. singalensis (Gm.).— W. S.

¹ Descriptions of One Hundred and Four New Species and Subspecies of Birds from the Barussan Islands and Sumatra. Smithsonian Miscellaneous Collections. Vol. 60, No. 7, pp. 1–21. October 26, 1912.